

DETROIT™ DD5™

TECHNICAL SPECIFICATIONS

THE DETROIT DD5 ENGINE THE MOST ADVANCED ENGINE TECHNOLOGIES ENGINEERED TODAY.

This next-generation mid-range engine delivers unsurpassed efficiency with exceptional endurance. All while achieving the longest maintenance intervals in the industry for maximum uptime.

PERFORMANCE

- Meet your deadline every time
 - Sturdy rear gear train and ribbed cast iron block minimizes noise vibration harshness (NVH)
 - Simple fixed-geometry dual-stage turbo provides performance, efficiency, and reliability
 - Robust design provides B10 life of 400,000 miles
 - Integrated engine brake option provides superior braking horsepower to extend service brake life

POWER

- Usable power and torque reached at lower engine speeds—ideal for the demands of today's medium-duty truck operations

COMPLIANCE

- The DD5 is compliant with 2017 Greenhouse Gas (GHG17) requirements
- 2016 On-Board Diagnostics certified

ECONOMY

- Smart, fuel-efficient design makes the most of every gallon
 - Advanced common rail fuel system optimizes each injection event to minimize fuel consumption
 - Piston and cylinder design reduces friction and provides optimal combustion
 - Variable cam phasing technology for improved aftertreatment system performance
 - Variable-speed fan and advanced cooling reduce fan on time, contributing to lower fuel consumption.

SERVICEABILITY

- Longest scheduled maintenance intervals in its class
- Oil and fuel filters are positioned above the frame rails for easier, faster, and cleaner filter changes
- Maintenance-free crankcase breather
- Detroit™ Connect Virtual Technician™ remote diagnostic service helps you maximize uptime

DD5 SPECIFICATIONS

Configuration	Inline 4 Cylinder
Displacement	313 cu. in. (5.1 L)
Compression Ratio	17.6:1
Bore	4.33 in. (110 mm)
Stroke	5.3 in. (135 mm)
Weight (Dry)	1188 lb. (539 kg.)
Electronics	DDEC®
Service Fill (Oil & Filter Change)	18 qt. (17.5 L)
Horsepower Range	200-240*
Torque Range	560-660

*200, 220, 240 production in September 2018.



Maintenance Intervals

Item	Mi / km / Hr†	Severe Duty	Short-Haul	Long-Haul
Engine Oil and Filter Change*	Miles	35,000	45,000	50,000
	Kilometers	56,000	72,000	80,000
	Hours	1000	1500	1700
	Months	12	18	–
Fuel Filter Change	Miles	35,000	45,000	50,000
	Kilometers	56,000	72,000	80,000
	Hours	1000	1500	1700
	Months	12	18	–
Valve Lash Adjustment	Miles	70,000	90,000	100,000
	Kilometers	113,000	145,000	161,900
	Hours	2000	3000	3400
	Months	24	36	–
Diesel Particulate Filter	A check-engine light will illuminate when ash requires removal. Normal DPF ash clean interval is:			
	Miles	< 190,000	190,000-225,000	225,000
	Kilometers	< 306,000	306,000-362,000	362,000
	Hours	< 6300	6300-7500	7500
DEF Pump Filter	Replace every 3 years or 500,000 miles (805,000 km) (10,000 hrs.)			

* Maintenance intervals using Detroit Fluids Specification 93K222 (CK-4) or 93K223 (FA-4) Approved Oils. Severe duty averages less than 10 miles per gallon (mpg) and operates under severe conditions. Short-haul is up to 60,000 annual miles (96,000 kilometers) and averages between 10.1 and 11.9 mpg. Long-haul is over 60,000 annual miles (96,000 kilometers) and averages greater than 12.0 mpg.

† Miles/Kilometers or time, whichever occurs first.


Power Ratings

DD5 Engine Power Ratings	
200 HP* @ 2200 RPM	560 lb-ft @ 1400 RPM
210 HP @ 2200 RPM	575 lb-ft @ 1400 RPM
220 HP* @ 2200 RPM	560 lb-ft @ 1400 RPM
230 HP @ 2200 RPM	660 lb-ft @ 1400 RPM
240 HP* @ 2200 RPM	660 lb-ft @ 1400 RPM

*Production in September 2018.

Standard Warranty

Item	Warranty Limits (Whichever Occurs First)		Repair Charge (Paid by Owner)	
	Months	Miles / Kilometers	Parts	Labor
Engine	0-36	250,000 mi 400,000 km	No charge	No charge



1-800-445-1980 • DEMANDDETROIT.COM

DDC-EMC-FLY-0109-0618. Specifications are subject to change without notice. Detroit Diesel Corporation is registered to ISO 9001:2008. Copyright © 2018 Detroit Diesel Corporation. All rights reserved. Detroit™ is a brand of Detroit Diesel Corporation, a Daimler company.

DAIMLER | Detroit - A Daimler Group Brand



DETROIT™
DEMAND PERFORMANCE™